



# PRODUCT CATALOG 2025

ENGINEERED HARDWOOD

SOLID HARDWOOD



**Johnson.hardwood®**

[www.johnsonhardwood.com](http://www.johnsonhardwood.com)

825 Sentous Ave  
City of Industry, CA 91748  
TF 800.910.3047  
O 626.363.9000  
F 626.363.9048



## ABOUT JOHNSON HARDWOOD

---

Johnson Hardwood is one of the leading manufacturers of premium hardwood flooring with distribution to the United States and Canada. We produce on-trend, high-demand flooring options by sourcing durable hardwood species from around the globe. Our products are recognized for their affordability and superior quality. Plus, we offer the highest standards of worry-free floors in the industry being CARB II and Lacey Act compliant. Each flooring plank is precision milled, hand crafted, and hand stained to produce an exquisite product. Johnson Hardwood floors are manufactured with the greatest care and backed by a warranty that assures complete satisfaction.

The Johnson Hardwood manufacturing process starts by sourcing wood species with grain patterns that flooring customers are looking for. Color and wood specie trends are researched by our product development team to create natural looking premium hardwood flooring options for our customers. From contemporary to traditional and dark wood to natural colors, we keep our customer interior design needs in mind by providing a wide variety of flooring options.

Whether exotic or domestic, Johnson Hardwood travels the globe in search of unique grain patterns, durable woods, and responsibly harvested trees. Harvested wood is cut into planks and hand carved for a custom floor look. Wood planks are then hand stained to ensure even coloring while allowing the natural wood color variation to come through. The finished product has the look of a custom hardwood floor while at an affordable price. Johnson Hardwood adheres to anti-dumping and sustainable tree harvesting practices with a commitment to preserving forest ecosystems.



# ENGINEERED and SOLID HARDWOOD PRODUCT LINES



## An Overview of Johnson's Engineered/Solid

### LACEY ACT FOR RESPONSIBLE FORESTRY & SUSTAINABILITY

Johnson Hardwood aims to assure our customers that the Johnson Hardwood floor they've purchased comes from responsibly harvested forests. Johnson Hardwood sources hardwood from the U.S., China, Brazil, and Canada. Government regulations in all of these countries have become much more stringent over the last decade, and we fully support their efforts to protect their forests. China's Council for International Cooperation on Environment and Development regulates sustainable development through environmental policy and reform. There are Six National Key Forest Programs regulated by China's State Council that include the promotion of economic development, natural resource management and environmental protection, taxation and regulation of timber markets, and international trade and investment. To comply with global sustainability, Brazil adheres to forest certification as regulated by the Forest Stewardship Council. Canada's forest and lumber industry is regulated by the Canada Environmental Protection Agency. The United States, through the enactment of the Lacey Act, has helped other countries by preventing the importation of any hardwood product that is not legally harvested according to the rules of its country of origin. The Lacey Act requires end users of endangered wood to certify the legality of their supply chain all the way to the trees. If an importer knowingly imports tainted wood that has been illegally cut down for lumber then they will be raided by the Environmental Investigation Agency and dealt with by the U.S. Department of Justice.

### CARB CERTIFIED FOR QUALITY ASSURANCE

It is part of the Johnson Hardwood manufacturing process to carefully craft and comply with the most stringent wood manufacturing regulations imposed in the United States. The most stringent standard being CARB compliant according to the California Environmental Protection Agency. CARB refers to the California Air Resources Board as governed by the California Environmental Protection Agency. CARB's mission is to promote and protect public health, welfare, and ecological resources through effective reduction of air pollution. Since January 1, 2009, manufacturers of wood products are required to prove their products meet the established Airborne Toxic Control Measure (ATCM) that sets upper limits on formaldehyde emissions from composite wood products sold in California, and is the most stringent due to the emission caps where other standards are based on averages. To be compliant, Johnson Hardwood is required to provide documentation of compliance and label products accordingly. CARB II, effective January 1, 2011, has defined guidelines for the entire production process that includes the manufacturer, distributor and fabricator of wood products.

### EMISSIONS STANDARDS FOR ENGINEERED WOOD PRODUCTS

Johnson Hardwood is dedicated to producing the highest quality wood products through sustainable and environmentally responsible practices. As part of this commitment, we ensure all our applicable products are certified under the Environmental Protection Agency's (EPA) regulations, including: hardwood plywood, composite panels, and particle board.

As of June 1, 2018, all composite wood products must be compliant with the EPA's Toxic Substance Control Act (TSCA) Title VI regulation. This certification and our compliance statements are also included all product packaging. The EPA established Title VI of TSCA to regulate the chemical emissions produced by three important composite wood products: hardwood plywood, medium-density fiberboard (MDF), and particle board. Read on to learn about Timber Products' compliance with the latest EPA regulations and industry best practices.

**NEW for 2025!**



**ENGINEERED**

PL-OL030004 ARTEMIS (OAK)



Beveled Edge



Wire Brushing



Filled Knots

- 11-7/8" Width
- Long Length Planks
- UV Cured Urethane
- Matte Finished

Ascend to the heights of luxury with our divine Olympus Series engineered wood flooring, a homage to the majestic Mt. Olympus itself. With an extravagant width of 11-7/8 inches and meticulously crafted at 1/2-inch thickness, each plank embodies sophistication. Adorned with a sliced veneer and kissed by a UV cured urethane finish, this flooring radiates unparalleled glamour. Enhanced by a gentle wire brushed texture, it promises both durability and charm. Available in oak and hickory, the Olympus Series invokes the gods with six divine colors: Athena, Apollo, Ares, Artemis, Zeus, and Hera. Let your space transcend into a sanctuary of romance and beauty with the Olympus Series as your muse.

## OLYMPUS Series

Width	11-7/8"   Length Random	Packaging Info
Thickness	1/2" (Nominal)	SQ FT/CTN 42.63 SQ FT CTNS/PLT 33 CTNS SQ FT/PLT 1,406.79 SQ FT
Veneer	1.2mm	
Construction	Engineered	
Finish	UV Cured Urethane	
Species	Hickory, Oak	
Style	Wire Brushed	
Gloss	Matte	
Installation Areas	Staple, Cleat, Glue/Glue Assist On, Above, Below	

**WARRANTIES:** Limited **35-Year** Residential Finish Warranty, Limited **Lifetime** Structural Warranty



**ATHENA (HICKORY)**  
PL-OLH30001



**APOLLO (HICKORY)**  
PL-OLH30002



**ARES (OAK)**  
PL-OLO30003



**ARTEMIS (OAK)**  
PL-OLO30004



**ZEUS (OAK)**  
PL-OLO30005




**HERA (OAK)**  
PL-OLO30006



**NEW for 2025!**



AME-CRH19001 SANDSTONE (HICKORY)



Beveled Edge



Wire Brushing



Filled Knots

- Engineered Wood Stability
- Long-Lasting Durability
- UV Cured Aluminum Oxide Finish

Canyon Ridge Series – where breathtaking beauty meets unparalleled sophistication! With its light wire brushed finish and delicate bevel, the UV-cured aluminum oxide finish ensures lasting durability. Each plank boasts timeless colors inspired by nature's palette: Sandstone exudes warmth and elegance, Amber radiates richness and depth, Jasper captivates with earthy allure, Topaz shimmers with golden brilliance, Moonstone enchants with its ethereal charm, and Flint adds a touch of modern sophistication. Hickory wood is renowned for its distinctive grain pattern, which is both visually appealing and functional. Available in wide 7-1/2" planks, Canyon Ridge promises both visual allure and flawless uniformity. Elevate your space with this perfect fusion of strength, style, and sophistication.

## CANYON RIDGE Series

Width 7-1/2" (Nominal)   Length Random		Packaging Info
Thickness	1/2" (Nominal)	<b>SQ FT/CTN</b> 23.4 SQ FT <b>CTNS/PLT</b> 55 CTNS <b>SQ FT/PLT</b> 1,287 SQ FT
Veneer	1.2mm, Sliced	
Construction	Engineered	
Finish	UV Cured Aluminum Oxide	
Species	Hickory	
Style	Light Wire Brushed	
Gloss	Matte	
Installation Areas	Staple, Cleat, Glue, Float On, Above, Below	

**WARRANTIES:** Limited **35-Year** Residential Finish Warranty, Limited **Lifetime** Structural Warranty



**SANDSTONE (HICKORY)**  
AME-CRH19001



**AMBER (HICKORY)**  
AME-CRH19002



**JASPER (HICKORY)**  
AME-CRH19003



**TOPAZ (HICKORY)**  
AME-CRH19004



**MOONSTONE (HICKORY)**  
AME-CRH19005



**FLINT (HICKORY)**  
AME-CRH19006



**NEW for 2025!**




**ENGINEERED**

AME-CS019007 ALMOND (EUROPEAN OAK)



Beveled Edge



Wire Brushing



Filled Knots

- Engineered Wood Stability
- Long-Lasting Durability
- UV Cured Aluminum Oxide Finish

Introducing Johnson Hardwood's Countryside Oak: engineered hardwood flooring crafted from premium European Oak. This budget-friendly flooring offers both elegance and resilience with a generous 7-1/2" width and a sturdy 3/8" thickness. Each plank features a 1.0 mm sliced veneer, enhanced by a light wire-brushed finish and a UV-cured aluminum oxide coating for superior durability. With 10 stunning SKUs, such as Tortilla, Driftwood, and Pebble, the Countryside Oak Series captures a palette inspired by the rich tones and textures of nature.

Elevate your home with the timeless beauty and affordability of Countryside Oak, where every detail reflects a heritage of quality and rustic charm.

## COUNTRYSIDE OAK Series

Width 7-1/2" (Nominal)   Length Random		Packaging Info
Thickness	3/8" (Nominal)	<b>SQ FT/CTN 43 SQ FT</b> <b>CTNS/PLT 45 CTNS</b> <b>SQ FT/PLT 1,935 SQ FT</b>
Veneer	1.0mm, Sliced	
Construction	Engineered	
Finish	UV Cured Aluminum Oxide	
Species	European Oak	
Style	Light Wire Brushed	
Gloss	Matte	
Installation Areas	Staple, Glue On, Above, Below	

**WARRANTIES:** Limited **35-Year** Residential Finish Warranty, Limited **Lifetime** Structural Warranty



**TORTILLA (EUROPEAN OAK)**  
AME-CSO19001



**BUTTERMILK (EUROPEAN OAK)**  
AME-CSO19002



**DRIFTWOOD (EUROPEAN OAK)**  
AME-CSO19003



**PEBBLE (EUROPEAN OAK)**  
AME-CSO19004



**WHEAT (EUROPEAN OAK)**  
AME-CSO19005



**HAZELNUT (EUROPEAN OAK)**  
AME-CSO19006



**ALMOND (EUROPEAN OAK)**  
AME-CSO19007



**BISCUIT (EUROPEAN OAK)**  
AME-CSO19008



**SANDSTONE (EUROPEAN OAK)**  
AME-CSO19009



**CARAMEL (EUROPEAN OAK)**  
AME-CSO19010



**NEW for 2025!**

**TEXAS  
TIMBER  
SERIES**



**ENGINEERED**

AME-TT019001 ALABASTER (EUROPEAN OAK)



Beveled Edge



Light Wire Brushing



Filled Knots

- Engineered Wood Stability
- Random Length Planks
- UV Cured Aluminum Oxide Finish

Introducing Texas Timber: crafted from European oak with a light wire brushed finish. Each plank features a 1.2mm sliced veneer and a UV-cured aluminum oxide finish, showcasing the resilience and strength of the Lone Star State. Bringing a touch of rustic elegance to your home at a friendly price point, Texas Timber combines refined style with a thickness of 3/8" and a width of 7-1/2". The series features 10 colors representing the hues and tones of Texas, with names like Alabaster, Sand, Tawny, and Carob – to name a few. Experience the timeless allure of Texas with every step.

## TEXAS TIMBER Series

Width	7-1/2"   Length Random	Packaging Info
Thickness	3/8" (Nominal)	SQ FT/CTN 38.9 SQ FT
Veneer	1.2mm, Sliced	CTNS/PLT 45 CTNS
Construction	Engineered	SQ FT/PLT 1,750.5 SQ FT
Finish	UV Cured Aluminum Oxide	
Species	European Oak	
Style	Light Wire Brushed	
Gloss	Matte	
Installation Areas	Staple, Glue On, Above, Below	

**WARRANTIES:** Limited **35-Year** Residential Finish Warranty, Limited **Lifetime** Structural Warranty

**Johnson.hardwood®**  
www.johnsonhardwood.com

# TEXAS TIMBER SERIES



**ALABASTER (EUROPEAN OAK)**  
AME-TTO19001



**PARCHMENT (EUROPEAN OAK)**  
AME-TTO19002



**SAND (EUROPEAN OAK)**  
AME-TTO19003



**TAUPE (EUROPEAN OAK)**  
AME-TTO19004



**AMBER (EUROPEAN OAK)**  
AME-TTO19005



**TAWNY (EUROPEAN OAK)**  
AME-TTO19006



**HONEY (EUROPEAN OAK)**  
AME-TTO19007



**CHESTNUT (EUROPEAN OAK)**  
AME-TTO19008



**LABRADOR (EUROPEAN OAK)**  
AME-TTO19009



**CAROB (EUROPEAN OAK)**  
AME-TTO19010



**Johnson.hardwood**<sup>®</sup>  
www.johnsonhardwood.com

\*Product pictures show a small portion of the floor, and may not represent the true color of the product. Please refer to the Johnson Hardwood website for more product photos.

**NEW for 2023!**



Beveled Edge



Light Wire Brushing



Filled Knots

- Wired Brushed
- Long Length Planks
- UV Cured Aluminum Oxide

Step into a world of timeless beauty with Oak Grove - the new engineered wood flooring that captures the essence of European oak. With its random length, light wire brushed texture, and low gloss finish, Oak Grove adds a touch of rustic elegance to any space. Crafted to perfection with UV cured aluminum oxide, this 1/2" thick flooring promises durability and longevity. Choose from a stunning selection of 6 colors in prime abcd grade or 4 colors in prime select or ab grade. Transform your home with the warmth and character of Oak Grove and create your very own love story with every step.

## OAK GROVE Series

Width	7-1/2"   Length Random	Packaging Info
Thickness Veneer	1/2" (Nominal) Rustic Grade: 1.2mm Premium Grade: 1.8mm	<b>Rustic Grade</b> SQ FT/CTN 23.4 SQ FT CTNS/PLT 55 CTNS SQ FT/PLT 1,287 SQ FT
Construction	Engineered	<b>Premium Grade</b> SQ FT/CTN 31.09 SQ FT CTNS/PLT 36 CTNS SQ FT/PLT 1,119.24 SQ FT
Finish Species Style	UV Cured Aluminum Oxide European Oak Light Wire Brushed	
Gloss	Low	
Installation Areas	Staple, Cleat, Glue, Float On, Above, Below	

**WARRANTIES:** Limited **35-Year** Residential Finish Warranty, Limited **Lifetime** Structural Warranty



## Rustic Grade - 1.2mm Veneer



**TOUMEY (OAK)** AME-OG19001



**LAUREL (OAK)** AME-OG19002



**EMORY (OAK)** AME-OG19003



**WILLOW (OAK)** AME-OG19004



**HOLM (OAK)** AME-OG19005



**MOHR (OAK)** AME-OG19006

## Premium Grade - 1.8mm Veneer



**SHUMARD (OAK)** AME-OG19009



**GAMBEL (OAK)** AME-OG19010



**CHESTNUT (OAK)** AME-OG19011



**BARK (OAK)** AME-OG19012



INTRODUCING

# The GRAND CHATEAU Series

European Oak... Ultra-Modern Style and Flare.

Engineered  
Hardwood

Encapsulating the sophistication and style of Europe, Johnson Hardwood's Grand Chateau Series ushers in a clean and simple elegance to any space. Sourcing from European Oak enables both wider and longer planks. While a modern, clean look and feel is obtained by simply relying on the wood grains' natural complexity and aesthetics – in turn complementing today's on-trend looks. Soft and unembellished taupes and richly detailed natural tans are achieved by mild whitewashing and administering a multi-hand-staining process. Crafted in random lengths and offered in 12 exquisite shades all evoking a modern simplicity, Johnson Hardwood will have you settling into your space with elegance and poise.



pictured color - CAERPHILLY

## STRENGTHS...

Using Sawn European Oak Allows Lengths up to 7ft and an 8-5/8" Width, Making these Planks Longer & Wider when Compared to Similar Products

## VISUALS...

Mild Whitewashing & Multi Hand-Staining Process Brings out the Natural Complexity and Beauty of the European Oak Wood Grains

## COMMITMENT...

Limited 35-Year Residential Finish Warranty - Limited Lifetime Structural Warranty

## ENVIRONMENTAL...

- Lacey Act Compliant - Manufactured Under Sustainable Forest Management Practices
- CARB II Certified - Regulation to Reduce Formaldehyde Emissions
- TSCA Title VI Compliant - Emission Standards for Adhesives in Composite Wood Products



Johnson.hardwood®  
www.johnsonhardwood.com

ENGINEERED



Beveled Edge



Light Wire Brushing



Fine Detail and Characteristics

- Wider/Longer Length Planks
- Modern Design Aesthetics
- UV Cured Urethane

Encapsulating the sophistication and style of Europe, Johnson Hardwood's Grand Chateau Series ushers in a clean and simple elegance to any space. Sourcing from European Oak enables both wider and longer planks. While a modern, clean look and feel is obtained by simply relying on the wood grains' natural complexity and aesthetics - in turn complimenting today's on-trend looks. Soft and unembellished taupes and richly detailed natural tans are achieved by mild whitewashing and administering a multi-handstaining process. Crafted in random lengths and offered in 12 exquisite shades all evoking a modern simplicity, Johnson Hardwood will have you settling into your space with elegance and poise.

## GRAND CHATEAU Series

Width	8-5/8" (Nominal)   Length Random	Packaging info
Thickness	9/16" (Nominal)	SQ FT/CTN 31.3 SQ FT CTNS/PLT 40 CTNS SQ FT/PLT 1,252 SQ FT
Veneer	3.0mm	
Construction	Engineered	
Finish	UV Cured Urethane	
Species	European Oak	
Style	Wire Brushed	
Gloss	Matte	
Installation Areas	Staple, Cleat, Glue, Float On, Above, Below	

**WARRANTIES:** Limited **35-Year** Residential Finish Warranty, Limited **Lifetime** Structural Warranty



**CHAMBORD**  
AME-GC22001



**BARNARD**  
AME-GC22002



**VALER**  
AME-GC22003



**ALSWICK**  
AME-GC22004



**CHILLON**  
AME-GC22005



**CORVIN**  
AME-GC22006



**CAERPHILLY**  
AME-GC22007



**MALAHIDE**  
AME-GC22008



**DOVER**  
AME-GC22009



**TAUNTON**  
AME-GC22010



**AYDON**  
AME-GC22011



**MIRANDA**  
AME-GC22012



**Johnson.hardwood®**  
www.johnsonhardwood.com

\*Product pictures only show a small portion of the floor, and may not represent the true color of the product. Please refer to the Johnson Hardwood website for more product photos.



### NEW PRODUCT LINE QUICK FACTS

GENERAL DESCRIPTION	
An <b>ENGINEERED</b> hardwood line of <b>European Oak</b> .	
SPECIFICATIONS	
Width	8-5/8"
Length	Random (Up to 7FT) <i>*Longer, wider planks compared to other products</i>
Thickness	9/16" (Nominal)
Veneer	3.0mm
ADDITIONAL DETAILS	
Gloss	Matte
Finish	UV Cured Urethane, 11-Step Aluminum Oxide
Mild Whitewashing & Multi Hand-Staining Process <i>*Brings out natural complexity and beauty of the European Oak wood grains</i>	
Light Wire Brushing	
INSTALLATION	
Staple, Cleat, Glue, Float	
WARRANTY	
Limited 35-Year Residential Finish	
Limited Lifetime Structural	
GREEN STORY	
Lacey Act Compliant - Manufactured under sustainable forest management practices.	
CARB II Certified - Regulation to reduce formaldehyde emissions (CA Standard).	
TSCA Title VI Compliant - Emission standards for adhesives in composite wood products (National Standard).	
COLOR & STYLE	
Style	Clean and elegant, based on current on-trend European style.
	Relies on natural complexity and beauty of European Oak.
	Goes well with modern furniture.
Colors	12 colors ranging from natural tans to taupes.

ENGINEERED

English Pub  
series



Handscraped  
Textures



Bevel Edge



Hand Honed

- Handscraped
- Long-Lasting Durability
- 11 Step Aluminum Oxide

Our craftsmen have delicately scraped and hand honed this floor to resemble the look of Old English Pubs where friends, family and travelers gathered to relax and converse in a warm and inviting atmosphere. The long 7 foot planks give the look of times gone by.

We used a character grade maple to bring out the natural beauty of the wood grain, along with filled splits and knots for more of that old world look.

## ENGLISH PUB Series

	Width 7-1/2"   Length Most in 7/LF	Packaging info
Thickness	1/2"	SQ FT/CTN 26 SQ FT CTNS/PLT 55 CTNS SQ FT/PLT 1,430 SQ FT WEIGHT/CTN 41 LBS
Veneer	2.0mm	
Construction	Engineered	
Finish	11 Step Aluminum Oxide	
Species	Hickory, Maple	
Style	Handscraped/Vintage	
Gloss	Semi	
Installation Areas	Staple, Glue, Float On, Above, Below	

**WARRANTIES:** Limited **35-Year** Residential Finish Warranty,  
Limited **Lifetime** Structural Warranty

**Johnson.hardwood**<sup>®</sup>  
www.johnsonhardwood.com



**APPLEJACK (HICKORY)**  
AME-EH19001



**RYE (HICKORY)**  
AME-EH19002



**SMOKED BOURBON (MAPLE)**  
AME-EM19001



**WHISKEY (MAPLE)**  
AME-EM19002



**BRANDY WINE (MAPLE)**  
AME-EM19003



**AMBER ALE (MAPLE)**  
AME-EM19004



**STOUT (MAPLE)**  
AME-EM19005



**COGNAC (MAPLE)**  
AME-EM19006



**MOONSHINE (MAPLE)**  
AME-EM19007



**PORTER (HICKORY)**  
AME-ESH19001



**SCOTCH (HICKORY)**  
AME-ESH19002



**PILSNER (HICKORY)**  
AME-ESH19003



ENGINEERED



Bevel Edge



Filled Checks



Wire Brushed (Random)

- All Natural Wood
- Long-Length Planks
- 11 Step Aluminum Oxide

The Alehouse series puts emphasis on the details to create a totally unique flooring experience. A multi-layer, hand-staining process has been used to create an inner glow effect that darkens towards the timeworn plank edges. Due to the natural glow, the Alehouse series has high color variation. Our exclusive vintage surface treatment finish adds even more character for the look of a reclaimed, custom hardwood floor.

## ALE HOUSE Series

	Width 7-1/2"   Length Most in 7/LF	Packaging info
Thickness	1/2"	SQ FT/CTN 26 SQ FT CTNS/PLT 55 CTNS SQ FT/PLT 1,430 SQ FT WEIGHT/CTN 41 LBS
Veneer	2.0mm	
Construction	Engineered	
Finish	11 Step Aluminum Oxide	
Species	Maple, Oak	
Style	Vintage	
Gloss	Semi	
Installation Areas	Staple, Cleat, Glue, Float On, Above, Below	

**WARRANTIES:** Limited **35-Year** Residential Finish Warranty, Limited **Lifetime** Structural Warranty



**MAIBOCK (MAPLE)**  
AME-AHM19001



**HEFEWEIZEN (MAPLE)**  
AME-AHM19002



**COPPER ALE (MAPLE)**  
AME-AHM19003



**BARLEY ALE (MAPLE)**  
AME-AHM19004



**STRAWBERRY BLONDE (MAPLE)**  
AME-AHM19005



**DOPPELBOCK (MAPLE)**  
AME-AHM19006



**BELGIAN WHEAT (OAK)**  
AME-AHO19007



**MARZEN (OAK)**  
AME-AHO19008



**BLONDE (OAK)**  
AME-AHO19009



**SAISON (OAK)**  
AME-AHO19010



**WHEAT WINE (OAK)**  
AME-AHO19011



**DUNKEL (OAK)**  
AME-AHO19012



ENGINEERED

  
**Tuscan**  
series



Bevel Edge



Filled Checks



Handscraped

- Handcrafted
- Multiple Widths
- 11 Step Aluminum Oxide

The Tuscan series is designed to replicate the nostalgic presence of handcrafted wood floors in the regions of Northern Italy. The multiple widths are unique to match each cut of the wood to give every plank its own personal character, managing to bind it all together. Only through years of craftsmanship and the hands of artisan experience, this wood floor can truly harness the essence of old world Tuscany.

## TUSCAN Series

	Width 4-1/2", 6", 7-1/2"   Length Random	Packaging info
Thickness	9/16", 1/2" (Maple)	<b>SQ FT/CTN</b> 41.5 SQ FT <b>CTNS/PLT</b> 30 CTNS <b>SQ FT/PLT</b> 1,245 SQ FT <b>WEIGHT/CTN</b> 85 LBS
Veneer	2.0mm	
Construction	Engineered	
Finish	11 Step Aluminum Oxide	
Species	Hickory, Walnut, Maple	
Style	Handscraped/Smooth/Vintage	
Gloss	Semi/Low	
Installation Areas	Staple, Glue, Float On, Above, Below	

**WARRANTIES:** Limited **35-Year** Residential Finish Warranty,  
Limited **Lifetime** Structural Warranty

**Johnson.hardwood**<sup>®</sup>  
www.johnsonhardwood.com



**Tuscan**  
series



**SIENNA (HICKORY)**  
AME-E46701



**FLORENCE (HICKORY)**  
AME-E46702



**TOSCANA (HICKORY)**  
AME-E46703



**PALAZZO (WALNUT)**  
AME-E46705



**LUCCA (SMOOTH WALNUT)**  
AME-E46706



**CASENTINO (HICKORY)**  
AME-E46707



**GENOA (VINTAGE HICKORY)**  
AME-E46709 (LOW GLOSS)



**CATANIA (VINTAGE HICKORY)**  
AME-E46710 (LOW GLOSS)



**ARREZO (VINTAGE HICKORY)**  
AME-E46711 (LOW GLOSS)



**PRATO (VINTAGE HICKORY)**  
AME-E46712 (LOW GLOSS)



**SUNSET (MAPLE)**  
AME-EM46700



**VERONA (MAPLE)**  
AME-EM46705



**Johnson.hardwood**<sup>®</sup>  
www.johnsonhardwood.com

\*Product pictures only show a small portion of the floor, and may not represent the true color of the product. Please refer to the Johnson Hardwood website for more product photos.

## OUR COMMITMENT TO SUSTAINABILITY

---

Johnson Hardwood produces high quality; on-trend flooring that is selectively harvested from countries all around the world. Whether lumber is harvested from our own forestlands, or sourced from our supply partners, Johnson Hardwood is committed to supporting Sustainable Forestry Practices. Which means that we are dedicated to preserving healthy forest ecosystems, did you know that:

- 30 to 40% of our exotic lumber comes from aged or fallen timbers. Aging trees block the sunlight, and therefore limit the growth of younger, oxygen producing trees.
- Approximately 70% of our product line is engineered in construction. As compared to solids, this gives Johnson Hardwood a four to five times better yield on our valuable lumber.
- Our commitment to sustainable forestry practices that encompass not only the trees, but also the entire forest ecosystem.
- We employ a comprehensive supplier certification program for all sourced lumber. This helps to insure that our suppliers demonstrate their commitment to environmentally conscious timber procurement.
- We generate much of our steam/electricity requirements by burning our recycled wood scraps reducing our carbon footprint.
- We process 100% of our recovered sawdust into highly efficient heating pellets that are used by the local communities.
- Being a California based company, we strictly adhere to all local and state guidelines regarding waste disposal, recycling, building efficiency improvements, and proper fuel/chemical storage procedures.

**Yes, we make beautiful floors, but did you know:**

- The adhesive used in our engineered floors meets the stringent German E-1 standard for Formaldehyde emissions
- We use only water based finishes on all of our products.
- Johnson Hardwood engineered products are available, on a special order basis, with a core adhesive which meets the criteria for LEED IEQ 4.4, Low Emitting Materials.
- Johnson Hardwood realizes that environmental stewardship is our responsibility as a manufacturer, and is an ongoing process that continually needs to be improved upon.



**LACEY ACT  
COMPLIANT**

**TSCA  
TITLE VI  
COMPLIANT**



# COVERING EVERY CORNER

Our Nationwide Direct & Distribution Network is Here for You!

MONZA BVS-19401

### TRI-STATE WHOLESALE FLOORING

Locations: Montana, Wyoming, North and South Dakota, Nebraska, Minnesota, Iowa



POWERED BY ALL SURFACES

### Bishop

#### BISHOP DISTRIBUTING

Locations: Indiana, Michigan, Ohio, Kentucky (Henderson, Louisville)



### DIRECT MARKETS

Locations: Washington, Idaho, Oregon, California, Nevada, Utah, New Mexico, Texas, Oklahoma, Arkansas, Louisiana, Mississippi, Northern New York, Western Pennsylvania, West Virginia, Kentucky



### WAREHOUSES

- City of Industry, CA
- Houston, Texas
- Olyphant, Pennsylvania
- Sutton, Massachusetts



### MOXIE FLOORING DISTRIBUTION

Location: Arizona

### Cartwright

DISTRIBUTING  
CARTWRIGHT DISTRIBUTING  
Location: Colorado

POWERED BY ALL SURFACES



### ALL TILE CCS

Locations: Illinois, Kansas, Missouri, Wisconsin

POWERED BY ALL SURFACES



The R.A. Siegel Company

### THE R.A. SIEGEL COMPANY

Locations: Alabama, Florida, Georgia, North Carolina, South Carolina, Eastern Tennessee



### DERR FLOORING CO.

Locations: Southern New York, West Pennsylvania, New Jersey, Delaware, Washington DC, Virginia

### R&J FLOORING SUPPLY

Locations: Connecticut, Massachusetts, Maine, New Hampshire, Rhode Island, Vermont

# Johnson.hardwood®

www.johnsonhardwood.com

# Johnson.Hardwood®



12 Global Affiliates Network



STRONGEST VERTICALLY INTEGRATED PARTNERSHIPS WORLDWIDE

